




LITERATURE LIST OF CYCLADIC COMPLEX

- Candan, O ve Çetinkaplan, M., 1998, Menderes Masifi'nde Tersiyer yaşlı yüksek basınç metamorfizması ve kikladik kompleksle korelasyonu. *D.E.Ü. rektörlüğü 0.922.98.01.06 nolu proje*, 185s.
- Candan, O ve Çetinkaplan, M., 2001, Menderes masifi'ndeki eklojit / epidot-mavi şist fasiyesi metamorfizması ve kikladik kompleksle karşılaştırması. *YDABÇAG-495 nolu TÜBİTAK projesi*, 186 s.
- Candan, O ve Çetinkaplan, M., 2003, Menderes Masifi'nin güney kanadındaki Mesozoik-Erken Tersiyer yaşlı birimlerin Metamorfik evrimi ve Selçuk yöresindeki Eosen mavişist-eklojit fasiyesi metamorfizmasıyla korelasyonu. *D.E.Ü. rektörlüğü 02 KB FEN 024 nolu proje*, 128 s.
- Candan, O ve Kun, N., 1989, Menderes Masifi'nin batısında Paleo-melanj kuşağının varlığı. *Türkiye Petrol Jeologları Derneği Bülteni*, 1, 237-251.
- Candan, O., Dora, O.Ö., Oberhänsli, R., Oelsner, F and Dürr, S., 1997, Blueschist relics in the Mesozoic cover series of the Menderes Massif and correlations with Samos island, Cyclades. *Schweizerische Mineralogische und Petrographische Mitteilungen*, 77, 95-99.
- Candan, O., Dora, O.Ö., Oberhänsli, R., Çetinkaplan, M., Oelsner, F ve Dürr, S., 1998, Menderes Masifi'nde iki farklı yüksek basınç metamorfizması: Pan-Afrikan ve Tersiyer olaylar. *51. Türkiye Jeoloji kurultayı, Bildiri özleri*, 52-54.
- Candan, O., Dora, O.Ö., Oberhänsli, R., Çetinkaplan, M., Partzsch, J.H. and Dürr, S., 1999, Tertiary high-pressure/low temperature metamorphism in the Northwest part of the Menderes Massif and correlation with the Cycladic complex, Greece. *52.Geological Bulletin of Turkey*, 41, 1-14.
- Candan, O., Oberhänsli, R., Dora, O. Ö., Partzsch, J and Çetinkaplan, M., 2000, Polyphase tectono-metamorphic evolution in the Pan-African basement of the Menderes Massif: granulite, eclogite and amphibolite facies metamorphism. *International Earth Sciences Congress on Aegean Regions (IESCA), İzmir*, 134.

- Candan, O., Oberhänsli, R., Dora, Ö., Çetinkaplan, M., Koralay, O., Rimmele, G., Chen, F ve Akal, C., 2011a, Menderes Masifi'nin Pan-Afrikan temel ve Paleozoik-Erken Tersiyer örtü serilerinin polimetamorfik evrimi. *Maden Tetkik ve Arama Dergisi*, 142, 123-165.
- Candan, O., Oberhänsli, R., Dora, Ö., Çetinkaplan, M., Koralay, E., Rimmele, G., Chen, F and Akal, C., 2011b, Polymetamorphic evolution of the Pan-African Basement and Palaeozoic – Early Tertiary cover series of the Menderes Massif. *Bulletin of the Mineral Research and exploration*, 142, 121-165.
- Çakmakoglu, A., 2007, Dilek Yarımadası, Söke Ve Selçuk çevresinin neojen öncesi tektonostratigrafisi. *Maden Teknik ve Arama Dergisi*, 135, 1-17.
- Çetinkaplan, M., 2002, Tertiary high pressure / low temperature metamorphism in the Mesozoic Cover Series of the Menderes Massif and Correlation with the Cycladic Crystalline Complex. *PhD thesis, DEU-Izmir 120pp*.
- Çetinkaplan, M., Oberhänsli, R ve Candan, O., 2000a, Menderes Masifinin Mesozoik serilerindeki Eklojit ve mavişist fasiyesi kalıntıları:Tersiyen yaşlı yitme zonu ile bağlantılı yüksek basınç metamorfizması. 53. *Türkiye Jeoloji kurultayı, Bildiri özleri*, 311.
- Çetinkaplan, M., Oberhänsli, R. and Candan, O., 2000b, Tertiary high-pressure / low temperature metamorphism in the Mesozoic – Early Tertiary series of the Menderes Massif and correlation with the Cycladic complex, Greece. *Proceeding of International Earth Sciences Congress on Aegean Regions, İzmir/Turkey*, 140.
- Gessner, K., 2000, Eocene nappe tectonics and late-Alpine extension in the central Anatolide belt, western Turkey – structure, kinematics and deformation history. *PhD thesis, Mainz, 74pp*.
- Gessner, K., Ring, U., Lackmann, W., Passchier, C. W and Güngör, T., 1998a, Structure and crustal thickening of the Menderes Massif, southwest Turkey, and consequences for large-scale correlations between Greece and Turkey. *Bulletin of the Geological Society Greece*, XXXII, 145-152.
- Gessner, K., Lackmann, W., Ring, U., Passchier, C. W and Güngör, T., 1998b, Alpine nordgerichtete scherung Menderes-Massiv südwestanatoliens and regionale konsequenzen. *Freiberger Forschungsheft*, 471, 77-79.

- Gessner, K., Ring, U., Passchier, C. W and Güngör, T., 2001, How to resist subduction: evidence for large-scale out-of-sequence thrusting during Eocene collision in western Turkey. *Journal of the Geological Society, London*, 158, 769-784.
- Gessner, K., Ring, U and Güngör, T., 2011, Field guide to Samos and the Menderes Massif. *Along-Strike variations in the Mediterranean Tethyan orogen. Field Guides*, 23, 1-52.
- Gessner, K., Gallardo, L. A., Markwitz, V., Ring, U and Thomson, S.N., 2013, What caused the denudation of the Menderes Massif: Review of crustal evolution, lithosphere structure, and dynamic topography in southwest Turkey. *Gondwana Research*, 24, 243-274.
- Jolivet, L., Rimmelé, G., Oberhänsli, R., Goffé, B and Candan, O., 2004, Correlation of syn-orogenic tectonic and metamorphic events in the Cyclades, the Lycian nappes and the Menderes massif. Geodynamic implications. *Bulletin de la Société Géologique de France*, 175/3, 217-238.
- Jolivet, L., Faccenna, C., Huet, B., Labrousse, L., Le Pourhiet, L., Lacombe, O., Lecomte, E., Burov, E., Denèle, Y., Brun, J-P., Philippon, M., Paul, A., Salaün, G., Karabulut, H., Piromallo, C., Monié, P., Gueydan, F., Okay, A.I., Oberhänsli, R., Pourteau A., Augier, R., Gadenne, L and Driussi, O., 2013, Aegean tectonics: strain localisation, slab tearing and trench retreat. *Tectonophysics*, 597-598, 1-33.
- Oberhänsli, R., Monie, P., Candan, O., Warkus, F., Partzsch, J. H. and Dora, O.Ö., 1998, The age of blueschist metamorphism in the Mesozoic cover series of the Menderes Massif. *Schweizerische Mineralogische und Petrographische Mitteilungen*, 78, 309-316.
- Oberhänsli, R., Hamann, E., Partzsch, J., Warkus, F., Çetinkaplan, M and Candan, O., 2002, Petrology of Manganese rich eclogite from the Selçuk Olistostrome. 1st. *International Symposium of faculty of mines (İTÜ) on Earth Sciences and Engineering, İstanbul*, 108.
- Pourteau, A., Sudo, O., Candan, O., Lanari, P., Vidal, O and Oberhansli, R., 2013, Neotethys closure history of Anatolia: insights from ^{40}Ar - ^{39}Ar geochronology and P-T estimation in high-pressure metasedimentary rocks. *Journal of metamorphic Geology*, 31, 585–606.

- Pourteau, A., Oberhänsli, R., Candan, O., Barrier, E and Vrielynck, B., 2016, Neotethyan closure history of western Anatolia: a geodynamic discussion. *International Journal of Earth Sciences*, 105, 203-224.
- Rimmelé, G., Oberhänsli, R., Goffé, B., Jolivet, L., Candan, O and Çetinkaplan, M., 2002b, High-pressure rocks from the southern Menderes Massif and the Lycian Nappes: implications for the tectonic evolution of southwest Turkey. *European Geophysical Society, XXVII General Assembly, Nice, France*, 85.
- Rimmelé, G., Oberhänsli, R., Goffe, B., Jolivet, L., Candan, O and Çetinkaplan, M., 2003, First evidence of high-pressure metamorphism in the “cover series” of the southern Menderes Massif: Tectonic and metamorphic implications for the evolution of SW Turkey. *Lithos*, 71, 19-46.
- Rimmele, G., Oberhänsli, R., Goffe, B., Jolivet, L. and Candan, O and Parra, T., 2004, Tectonic and metamorphic evolution of the Lycian nappes and the Menderes Massif (Southwest Turkey). *32nd IGS Florence 2004*, 772.
- Ring, U and Layer, P.W., 2003, High-pressure metamorphism in the Aegean, eastern Mediterranean: Underplating and exhumation from the Late Cretaceous until the Miocene to Recent above the retreating Hellenic subduction zone. *Tectonics*, 22, 10.1029/2001TC001350.
- Ring, U., Gessner, K., Güngör, T and Passchier, C., 1999, The Menderes Massif of western Turkey and the Cycladic Massif in the Aegean-do they really correlate? *Journal of Geological Society, London*, 155, 3-6.
- Ring, U., Johnson, C., Hetzel, R and Gessner, K., 2003, Tectonic denudation of a late Cretaceous – Tertiary collisional belt-regionally symmetric cooling patterns and their relation to extensional faults in the Anatolian belt of western Turkey. *Geological Magazine*, 140, 421-441.
- Ring, U and Collins, S.A., 2005, U-Pb SIMS dating of synkinematic granites: Timing of corecomplex formation in the northern Anatolide belt of western Turkey. *Journal of Geological Society, London*, 162, 289–298.

- Ring, U., Will, T., Glodny, J., Kumerics, C., Gessner, K., Thomson, S., Güngör, T., Monie, P., Okrusch, M and Drüppel, K., 2007, Early exhumation of high-pressure rocks in extrusion wedges: Cycladic blueschist unit in the eastern Aegean, Greece, and Turkey. *Tectonics*, 26, tc2001, Doi:10.1029/2005tc001872.
- Ring, U., Glodny, J., Will, T and Thomson, S., 2010, The Hellenic Subduction System: High-Pressure Metamorphism, Exhumation Normal Faulting, and Large-Scale Extension. *Annual Review Earth and Planetary Science*, 38, 45-76.
- Whitney, D. L., Teyssier, C., Kruckenberg, S. C., Morgan, V.L and Iredale, L. J., 2008, High-pressure–low-temperature metamorphism of metasedimentary rocks, southern Menderes Massif, western Turkey. *Lithos*, 101/3, 218-232.