


LITERATURE LIST OF KARAKAYA METAMORPHICS



LITERATURE LIST OF KARAKAYA METAMORPHICS

- Altınır, D and Koçyiğit, A., 1993, Third remark on the geology of Karakaya basin. An Anisian megablock in northern central Anatolia: micropaleontologic, stratigraphic and tectonic implications for the rifting stage of Karakaya basin, Turkey. *Revue de Paléobiologie* 12, 1-17.
- Berber, F., Göncüoğlu, M.C and Sayit, K., 2014, Geochemistry and tectonic significance of the Kösedag metavolcanic rocks from the Sakarya Zone, Northern Turkey. *Bull. Shk. Gjeol. Spec. Issue*, 2, 161-163.
- Berber, F., Göncüoğlu, M.C and Sayit, K., 2015, Geochemistry and Petrology of the Kösedag metavolcanic rocks, Sakarya Composite Terrane, Northern Turkey. *Goldschmidt*, 265.
- Bingöl, E., Akyürek, B and Korkmazer, B., 1975, Geology of the Biga peninsula and some characteristics of the Karakaya blocky series. *Proceedings of the Cong. Earth Sc. for the 50th Ann. Republic Turkey, Mineral Research and Exploration Institute, Ankara*, 70-77.
- Bozkurt, E., 1990, Karakaya Napında yeni bir Karbonifer ve Permian bulgusu. *Maden Tetkik ve Arama Enstitüsü Dergisi*, 110, 181-188.
- Bozkurt, E., Winchester, J. A. and Satır, M., 2012, The Çele mafic complex: Evidence for Triassic collision between the Sakarya and Istanbul Zones, NW Turkey. *Tectonophysics*, 595-596, 198-214.
- Çapkinoğlu, Ş and Bektaş, O., 1999, Karakaya Kompleksi Öne ait Karasenir Formasyonu (Amasya) ilindeki kireçtaşı olistolitlerinden Erken Devoniyen. *Maden Tetkik ve Arama Enstitüsü Dergisi*, 120, 159-170.
- Federici, I., Cavazza, W., Okay, A.I., Beyssac, O., Zattin, M., Corrado, S and Dellisanti, F. 2010, Thermal evolution of the Permo-Triassic Karakaya subduction-accretion complex from the Biga Peninsula to the Tokat Massif (Anatolia). *Turkish Journal of Earth Sciences*, 19, 409-429.

- Genç, C., 2004, A Triassic igneous province in the Pontides (northern Turkey), geochemical data for its tectonic setting. *Journal of Asian Earth Sciences*, 22, 503-516.
- Genç, S. C and Tüysüz, O., 2010, Tectonic setting of the Jurassic bimodal magmatism in the Sakarya Zone (Central and Western Pontides), Northern Turkey: A geochemical and isotopic approach. *Lithos*, 118, 95-111.
- Genç, S. C and Yılmaz, Y., 1995, Evolution of the Triassic continental margin, northwest Anatolia. *Tectonophysics*, 243, 193-207.
- Göncüoğlu, M.C and Tekeli, O., 2002, Rock Units of the Sakarya Composite Terrane in the Armutlu and the Central Sakarya Area, NW Turkey. *1st International Symposium Faculty of Mines (ITU) on Earth Sciences and Engineering*, 155.
- Göncüoğlu, M.C., Erendül, M., Tekeli, O., Aksay, A., Kuşu, Ü., 1987, Geology of the Armutlu Peninsula. *IGCP Project 5, Guide Book. Field Excursion along W-Anatolia*, 12-18.
- Göncüoğlu, M. C., Turhan, N., Şentürk, K., Özcan, A and Uysal, Ş., 2000, A geotraverse across NW Turkey: tectonic units of the central Sakarya region and their tectonic evolution. *Editörler: Bozkurt, E., Winchester, J., Piper, J. A., Tectonics and Magmatism in Turkey and the Surrounding Area. Geological Society, London, Special Publications 173*, 139-161.
- Göncüoğlu, M.C., Kuwahara K., Tekin, U.K and Turhan, N., 2004, Upper Permian (Changxingian) Radiolarian Cherts within the Clastic Successions of the "Karakaya Complex" in NW Anatolia. *Turkish Journal of Earth Sciences*, 13, 201-213.
- Hagdorn, H and Göncüoğlu, M.C., 2007, Early-Middle Triassic echinoderm remains from the Istranca Massif, Turkey. *Neues Jahrbuch für Geologie und Paläontologie-Abhandlungen*, 246, 235-245.
- Kaya, O, 1991, Stratigraphy of the pre-Jurassic sedimentary rocks of the western parts of Turkey: type area study and tectonic considerations. *Newsletter for Stratigraphy* 23, 123-140.

- Kaya, O and Mostler, H., 1992, A Middle Triassic age for low-grade greenschist facies metamorphic sequence in Bergama (Izmir), western Turkey: the first paleontological age assignment and structural-stratigraphic implications. *Newsl. for Stratigraphy*, 26, 1-17.
- Kaya, O., Özkocak, O and Lisenbee, A., 1989, Stratigraphy of the pre-Jurassic olistostromal sedimentary rocks south of Bursa. *Maden Tetkik ve Arama Dergisi*, 109, 22-32.
- Koçyiğit, A., 1987, Tectonostratigraphy of the Hasanoğlu (Ankara) region: evolution of the Karakaya orogenic belt. *Yerbilimleri*, 14, 269–294.
- Koçyiğit, A., 1990, Structural relationships of three suture belts west of Erzincan (NE Turkey): Karakaya, Inter-Tauride, and Erzincan sutures. In: *Proceedings of the 8th petroleum congress of Turkey, Turkish association of petroleum geologists, UCTEAU chamber of petroleum engineers*, 152–160.
- Koçyiğit, A., 1991, First Remarks on the geology of The Karakaya Basin : Karakaya Orogen and Pre-Jurassic nappes in eastern Pontides. Turkey. *Geologica Rom.*, 27, 3-11.
- Kozur, H., Aydın, M., Demir, O., Yakar, H., Göncüoğlu, M.C and Kuru, F., 2000, New stratigraphic and palaeogeographic results from Palaeozoic and Early–Mesozoic of the Middle Pontides (northern Turkey) in the Azdavay, Devrekani, Kure and İnebolu areas. Implications for the Carboniferous–Early Cretaceous geodynamic evolution and some related remarks to the Karakaya oceanic rift basin. *Geologica Croatica*, 53, 209–268.
- Leven, E.J and Okay, A.I., 1996, Foraminifera from the exotic Permo-Carboniferous limestone blocks in the Karakaya Complex, northwest Turkey. *Rivista Italiana Paleontologiae Stratigrafia*, 102, 139-174.
- Monod, O and Okay, A.I., 1999, Late Triassic Paleo-Tethyan subduction: Evidence from Triassic blueschists in NW Turkey. *Tenth Meeting of the European Union of Geosciences (EUG 10)*, 28.3.1999-1.4.1999, Strasbourg, *Journal Conference Abstracts*, 4, 315.

- Monod, O., Okay, A.I., Maluski, H., Monié, P and Akkök, R., 1996, Schistes bleus du Trias supérieur en Turquie du NW: Comment s'est fermée la Paleo-Téthys ? 16e Réunion des Sciences de la Terre, Orléans, France, Abstracts, 43.
- Okay, A. İ. , 1984, Ağvanis metamorfitleri ve çevre kayaların jeolojisi. *Maden Tetkik ve Arama Enstitüsü Dergisi No: 99/100*.
- Okay, A.I., 1989, Tectonic units and sutures in the Pontides, northern Turkey. In: *Tectonic Evolution of the Tethyan Region (ed. A.M.C. Şengör), NATO Advanced ASI Series, Kluwer Academic Publications, Dordrecht, 109-116*.
- Okay, A. I., 2000, Was the Late Triassic orogeny in Turkey caused by the collision of an oceanic plateau? *Editörler: Bozkurt E., Winchester J. A., Piper J. D. A., Tectonic and Magmatism in Turkey and Surrounding Area. Londra, Geological Society, London, Special Publication, 173, 25-41*.
- Okay, A.I., 2002, Karakaya Complex - Definition, extent and significance. *1st International Symposium of Istanbul Technical University the Faculty of Mines on Earth Sciences and Engineering, İstanbul, 151*.
- Okay, A.I. and Altıner, D., 2004, Uppermost Triassic limestone in the Karakaya Complex - stratigraphic and tectonic significance. *Turkish Journal of Earth Sciences, 13, 187-199*.
- Okay, A.I and Göncüoğlu, M.C., 2004, The Karakaya Complex: A Review of Data and Concepts. *Turkish Journal of Earth Sciences, 13, 75-95*.
- Okay, A. I and Şahintürk, Ö., 1997, Geology of the Eastern Pontides. *Editör: Robinson, A. G. Regional and Petroleum Geology of the Black Sea and Surrounding Region, American Association of Petroleum Geologist Memoir, 68, 291-311*.
- Okay, A.I and Mostler, H., 1994, Carboniferous and Permian radiolarite blocks from the Karakaya Complex in northwest Turkey. *Turkish Journal of Earth Sciences, 3, 23-28*.

- Okay, A. I and Monie, P., 1997, Early Mesozoic subduction in the Eastern Mediterranean: Evidence from Triassic eclogite in the northwest Turkey. *Geology*, 25, 595–598.
- Okay, A.I and Tüysüz, O., 1999, Tethyan sutures of northern Turkey. In *"The Mediterranean Basins: Tertiary extension within the Alpine orogen"* (eds. B. Durand, L. Jolivet, F. Horváth and M. Séranne). *Geological Society, London, Special Publication*, 156, 475-515.
- Okay, A.I., Monod, O and Monie, P., 2001, Triassic blueschists and eclogites from northwest Turkey: Vestiges of Paleo-Tethyan subduction. *Fourth International Turkish Geology Symposium, Adana*, 85.
- Okay, A.I., Monod, O and Monie, P., 2002a, Data on the subduction-accretion origin of the Karakaya Complex: Triassic blueschists and eclogites from northwest Turkey. *1st International Symposium of Istanbul Technical University the Faculty of Mines on Earth Sciences and Engineering, İstanbul*, 159.
- Okay, A. I., Monod, O and Monie, P., 2002b, Triassic blueschists and eclogites from northwest Turkey: vestiges of the Paleo-Tethyan subduction. *Lithos*, 64, 155–178.
- Okay, A. I., Noble, P. J. and Tekin, U. K., 2011, Devonian Radiolarian ribbon cherts from the Karakaya Complex, Northwest Turkey. Implications for the Paleo-Tethyan evolution. *Comptes Rendus Palevol*, 10, 1-10.
- Okay, A.I., Siyako, M and Bürkan, K.A., 1990, Geology and tectonic evolution of the Biga Peninsula. *Bulletin of the Turkish Association of Petroleum Geologists*, 2, 83-121.
- Okay, A.I., Siyako, M and Bürkan, K.A., 1991, Geology and tectonic evolution of the Biga Peninsula. *Special Issue on Tectonics (ed. J.F. Dewey), Bulletin of the Technical University of Istanbul*, 44, 191-255.
- Okay, A.I., Siyako, M and Bürkan, K.A., 1994, Reply to the Discussion on the Geology and tectonic evolution of the Biga peninsula. *Bulletin of the Turkish Association of Petroleum Geologists*, 5, 117-119.

- Okay, A.I., Satır, M., Maluski, H., Siyako, M., Monie, P., Metzger, R and Akyüz S., 1996, Paleo- and Neo-Tethyan events in northwest Turkey: geological and geochronological constraints. *In Tectonics of Asia (ed. A. Yin & M. Harrison), Cambridge University Press, 420-441.*
- Okay, A.I., Tuysuz, O., Satır, M., Ozkan-Altiner, S., Altiner, D., Sherlock, S and Eren, R.H., 2006a, Cretaceous and Triassic subduction-accretion, HP/LT metamorphism and continental growth in the Central Pontides, Turkey. *Geol Soc Am Bull* 118, 1247–1269.
- Okay, A. I., Satır, M and Siebel, W., 2006b, Pre-Alpide orogenic events in the Eastern Mediterranean region. *Editörler:Gee, D. G., Stephenson, R. A. European lithosphere dynamics, Geological Society of London Memoir, 32, 389-405.*
- Okay, A. I., Sunal, G., Sherlock, S., Altiner, D., Tüysüz, O., Kylander - Clark, A. R. C and Aygöl, M., 2013, Early Cretaceous sedimentation and orogeny on the active margin of Eurasia: Southern Central Pontides, Turkey. *Tectonics, 32, 1247-1271.*
- Okay, A. I., Sunal, G., Tüysüz, O., Sherlock, S., Keskin, M., Kylander-Clarck, A. R. C., 2014, Low-pressure-high temperature metamorphism during extension in a Jurassic magmatic arc,Central Pontides,Turkey. *Journal of Metamorphic Geology, 32, 49-69.*
- Pickett, E. A and Robertson, A. H. F., 1996, Formation of the Late Paleozoic–Early Mesozoic Karakaya Complex and related ophiolites in NW Turkey by Paleotethyan subduction-accretion. *Journal of the Geological Society, London* 153, 995–1009.
- Pickett, E. A and Robertson, A. H. F., 2004, Significance of the Volcanogenic Nilufer Unit and related components of the Triassic Karakaya Complex for Thethyan subduction/accretion processes in NW Turkey. *Turkish Journal of Earth Sciences, 13, 97-143.*
- Pickett, E.A., Robertson, A.H.F., Dixon, J.E and Okay, A.I., 1992, Paleotethyan subduction-accretion: evidence from the Karakaya Complex, NW Turkey. *5th Field Meeting of the IGCP Project No. 276, Athens, Greece, 25-26.*

- Pickett, E., Robertson, A.H.F., Dixon, J.E. and Okay, A.I., 1992, Paleotethyan subduction-accretion: evidence from the Karakaya Complex, NW Turkey. *29th International Geological Congress, Kyota, Japan, 2, 414.*
- Pickett, E.A., Robertson, A.H.F. Dixon, J.E. , 1995, The Karakaya Complex, NW Turkey: A Palaeo-Tethyan accretionary complex. In: *ERLER, A., ERCAN, T., BÜNG.L, E. & .R.EN, S. (eds), Geology of the Black Sea Region. Maden Tetkik ve Arama Enstitüsü, Special Publication, 11-18.*
- Robertson, A.H.F and Ustaömer, T., 2011, Role of tectonicsedimentary melange and Permian–Triassic cover units, central southern Turkey in Tethyan continental margin evolution. *Journal of Asian Earth Sciences, 40, 98–120.*
- Robertson, A. H. F and Ustaömer, T., 2012, Testing alternative tectono-stratigraphic interpretations of the Late Palaeozoic-Early Mesozoic Karakaya complex in NW Turkey: Support for an accretionary origin related to northward subduction of Palaeotethys. *Turkish Journal of Earth Sciences, 21, 961–1007.*
- Sayit, K and Göncüoğlu, M.C., 2005, Petrology and tectonic setting of the basic volcanic rocks within the Karakaya Complex: New data from the Central and NW Anatolia. *IESCA 2005-Abstracts, 105.*
- Sayit, K ve Göncüoğlu, M.C., 2009a, Karakaya Karmaşığı içindeki bazik volkanitlerinin jeokimyasal özelliklerinin yeniden değerlendirilmesi. *Yerbilimleri, 30, 181-191.*
- Sayit, K and Göncüoğlu, M. C., 2009b, Geochemistry of mafic rocks of the Karakaya complex Turkey :evidence for plume -involvement in the Palaeotethyan extensional regime during the Middle and Late Triassic. *International Journal of Earth Science, 98, 367 - 385.*
- Sayit, K and Göncüoğlu, M.C., 2013, Geodynamic evolution of the Karakaya Melange Complex, Turkey: A review of geological and petrological constraints. *Journal of Geodynamics, 65, 56-65.*

- Sayıt, K., Göncüoğlu, M.C and Furman, T., 2008, E-MORB- and OIB-type metabasalts from the Karakaya Complex: Trace element evidence for melting across the spinel-garnet transition. *Eos Transactions*, 89, V43B-2163.
- Sayıt, K., Göncüoğlu, M.C and Furman, T., 2009, Relict seamounts within the Palaeotethyan Karakaya Complex, Turkey. *Am. Geo. Union Fall Meeting, Abstracts*, V51C-1706.
- Sayıt, K., Göncüoğlu, M.C and Furman, T., 2010, Petrological reconstruction of Triassic seamounts/oceanic islands within the Palaeotethys: Geochemical implications from Karakaya subduction/accretion complex, Northern Turkey. *Lithos*, 119, 501-511.
- Sayıt, K., Tekin, UK and Göncüoğlu, M.C., 2011, Early-Middle Carnian radiolarian cherts within the Eymir Unit, Central Turkey: Constraints for the age of the Palaeotethyan Karakaya Complex. *Journal of Asian Earth Sciences*, 42, 398-407.
- Sunal, G., 2012, Devonian magmatism in the western Sakarya Zone, Karacabey region, NW Turkey. *Geodinamica Acta*, 25, 183-201.
- Şengör, A.M.C., Yılmaz, Y and Sungurlu, O., 1984, Tectonics of the Mediterranean Cimmerides: nature and evolution of the western termination of Paleo-Tethys. *Geological Society, London, Special Publications*, 17, 77-112.
- Tetiker, S. ,2009, Geochemical properties and origin of meta-sandstones in the Karakaya complex units (NW Anatolia and Tokat area). *Bulletin of Faculty of Cumhuriyet University, Serie A-Earth Sciences*, 26, 1-22.
- Tetiker, S., 2010, Geochemistry and mineralogy petrography of (meta)-magmatic rocks from the Karakaya Complex in the NW Anatolia and Tokat area. *Bulletin of Faculty of Cumhuriyet University, Serie A-Earth Sciences*, 27/1-2, 1-18.
- Tetiker, S., Yalçın, H ve Bozkaya, Ö., 2009, KB Anadolu'daki Karakaya Karmaşığı birimlerinin diyajenezi-düşük dereceli metamorfizması. *Yerbilimleri*, 30, 193-212.

- Tetiker, S., Yalçın, H ve Bozkaya, Ö., 2015, Approaches to the low grade metamorphic history of The Karakaya Complex by chlorite mineralogy and geochemistry. *Minerals*, 5, 221-246.
- Tetiker, S., Yalçın, H and Bozkaya, Ö., 2015, Approaches to the Low-Grade Metamorphic History of the Karakaya Complex by Chlorite Mineralogy and Geochemistry. *Türkiye Jeoloji Bülteni*, 58, 55-83.
- Tetiker, S., Yalçın, H., Bozkaya, Ö and Göncüoğlu, M. C., 2015, Metamorphic Evolution of the Karakaya Complex in Northern Turkey based on phyllosilicate mineralogy. *Mineralogy and Petrology*, 109, 201-215.
- Tekeli, O, 1981, Subduction complex of Pre-Jurassic age, northern Anatolia, Turkey. *Geology*, 9, 68-72.
- Topuz, G., Göçmengil, G., Rolland, Y., Çelik, Ö. F., Zack, T and Schmitt, A. K., 2013a, Jurassic accretionary complex and ophiolite from northeast Turkey: No evidence for the Cimmerian continental ribbon. *Geology*, 41, 255-258.
- Topuz, G., Çelik, Ö. F., Şengör, A. M. C., Altıntaş, İ. E., Zack, T., Rolland, Y and Barth, M., 2013b, Jurassic ophiolite formation and emplacement as backstop to a subduction-accretion complex in northeast Turkey, the Refahiye ophiolite, and relation to the Balkan ophiolites. *American Journal of Science*, 313, 1054-1087.
- Topuz, G., Okay, A. I., Altherr, R., Schwarz, W. H., Sunal, G and Altınkaynak, L., 2014, Triassic warm subduction in northeast Turkey. Evidence from the Ağvanis metamorphic rocks. *Island Arc*, 23, 181-205.
- Tüysüz, O and Yiğitbaş, E., 1994, The Karakaya basin: a Palaeo-Tethyan marginal basin and its age of opening. *Acta Geologica Hungarica* 37, 327-250.
- Ustaömer, T and Robertson, A.H.F., 1993, A Late Paleozoic-Early Mesozoic marginal basin along the active southern continental margin of Eurasia: evidence from the Central Pontides (Turkey) and adjacent regions. *Geological Journal*, 28, 219–238.
- Ustaömer, T and Robertson, A.H.F., 1994, Late Paleozoic marginal basin and subduction-accretion: the Paleotethyan Kure Complex, Central Pontides, northern Turkey. *Journal of Geological Society, London*, 151, 291–305.

- Ustaömer, T and Robertson, A.H.F., 1997, Tectonic-sedimentary evolution of the North-Tethyan margin in the Central Pontides of northern Turkey. *In: Robinson, AG, editor. Regional and Petroleum Geology of the Black Sea and Surrounding Region. Tulsa, OK, USA: AAPG*, 255–290.
- Ustaömer, T and Robertson, A. H. F., 1999, Geochemical evidence used to test alternative plate tectonic models for pre-Upper Jurassic (Palaeotethyan) units in the Central Pontides, N Turkey. *Geological Journal*, 1, 34/1-2, 25-53.
- Ustaömer, P. A., Ustaömer, T and Robertson, A. H. F., 2012, Ion Probe U-Pb dating of the Central Sakarya basement: A peri-Gondwana Terrane intruded by late Lower Carboniferous subduction/collision-related granitic rocks. *Turkish Journal of Earth Sciences*, 21, 905-932.
- Ustaömer, T., Robertson, A. H. F., Ustaömer, P. A., Gerdes, A and Peytcheva, I., 2013, Constraints on Variscan and Cimmerian magmatism and metamorphism in the Pontides (Yusufeli -Artvin area), NE Turkey from U-Pb dating and granite geochemistry. *Editörler: Robertson, A. H. F., Parlak, O., Ünlügenç, U. C. Geological development of Anatolia and the easternmost Mediterranean region, London, Geological Society of London Special Publication 372*, 49-74.
- Ustaömer, T., Ustaömer, P. A., Robertson, A. H. F and Gerdes, A., 2016, Implications of U–Pb and Lu–Hf isotopic analysis of detrital zircons for the depositional age, provenance and tectonic setting of the Permian–Triassic Palaeotethyan Karakaya Complex, NW Turkey. *International Journal of Earth Sciences*, 105, 7-38.
- Yalınız, M.K and Göncüoğlu, M.C., 2002, Geochemistry and Petrology of “Nilüfer-type” Metabasic Rocks of Eastern Kozak Massif, NW Turkey. *1st International Symposium Faculty of Mines (İTU) on Earth Sciences and Engineering*, 158.
- Yılmaz, Y and Şengör, A.M. C., 1985, Palaeo-tethyan ophiolites in northern Turkey: Petrology and tectonic setting. *Ophioliti*, 10/2/3, 485-504.

Yılmaz, Y., Tüysüz, O., Yiğitbaş, E., GEN., C and Şengör, A.M.C., 1997, Geology and tectonic evolution of the Pontides. In: ROBINSON, A.G. (ed), Regional and Petroleum Geology of the Black Sea and Surrounding Region. *American Association of Petroleum Geologists Memoir 68*, 183-226.