




LITERATURE LIST OF TAVŞANLI ZONE

- Akyüz, S and Okay, A.I., 1995, Incipient blueschist metamorphism in an accretionary complex in NW-Turkey. *Eight meeting of the European Union of Geosciences (EUG 8)*, 9-13.4.1995, Strasbourg, Terra Abstracts, 7, 127.
- Akyüz, H. S and Okay, A. I., 1996, A section across a Tethyan suture in northwestern Turkey. *International Geological Review*, 38, 405–418.
- Aycenk, A. M., 2005, Tectonic evolution of juxtaposed high-pressure and high-temperature rocks in a subduction-collision zone, Turkey. *Master. thesis. Univ. of Minnesota, Moorhead*.
- Akyüz, H.S ve Okay, A.I., 1999, Manyas güneyinin jeolojisi (Balıkesir) ve mavişistlerin tektonik konumu. *Maden Tetkik ve Arama Dergisi*, 120, 105-120.
- Akyüz, H.S and Okay, A.I., 1999, The geology of the south of Manyas (Balıkesir) and the tectonic significance of blueschists. *Bulletin of the Mineral Research and Exploration*, 120, 81-95.
- Carpenter, M.A and Okay, A.I., 1978, Topotactic replacement of augite by omphacite in a blueschist rock from northwest Turkey. *Mineralogical Magazine*, 42, 435-438.
- Çetinkaplan, M ve Candan, O., 2004, Tavşanlı Zonu Doğu kesiminin polimetamorfik evrimi içerisinde eklojit metamorfizmasının yeri. *Dokuz Eylül Üniversitesi Rektörlüğü, Proje no: 04.KB.FEN.066*, 40s
- Çetinkaplan, M., Oberhansli, R and Candan, O., 2005a, Occurrence of lawsonite eclogite in eclogite-blueschist tectonic melange of Tavşanlı Zone, Sivrihisar-Turkey. *International Earth Sciences Congress on Aegean Regions, İzmir/Turkey*, 27.
- Çetinkaplan, M., Candan, O ve Oberhansli, R., 2005b, Tavşanlı Zonu'nun (Sivrihisar – Türkiye) mavişist tektonik melanjında yer alan eklojitlerin petrolojisi ve jeolojisi. 58. *Türkiye Jeoloji Kurultayı, Bildiri özleri*, 37-39.

- Çetinkaplan, M., Candan, O., Oberhansli, R. ve Bousquet, R., 2008, Pressure-temperature evolution of lawsonite eclogitesin sivrihisar, Tavşanlı zone, Turkey. *Lithos*, 104, 12-32.
- Davis, P.B and Whitney, D.L., 2006, Petrogenesis of lawsonite and epidote eclogites and blueschist, Sivrihisar Massif, Turkey. *Journal of Metamorphic Geology*, 24, 823–849.
- Davis, P.B and Whitney, D.L., 2008, Petrogenesis and structural petrology of high-pressure metabasalt pods, Sivrihisar, Turkey. *Contributions to Mineralogy and Petrology*, 156, 217–241.
- Çoğulu, E., 1967, Etude petrographique de la region Mihaliçcık. *Schweizerische Mineralogische und Petrographische Mitteilungen*, 47, 683–824.
- Floyd, P.A., Özgül, L and Göncüoğlu, M.C., 2003, Metabasite blocks from the Koçyaka HP-LT metamorphic rocks, Konya, central Anatolia: geochemical evidence for an arc-back-arc pair? *Turkish Journal of Earth Sciences*, 12, 157-174.
- Floyd, P.A., Özgül, L., Göncüoğlu, M.C., Yalınız, M.K and Winchester, J.A., 2001, Konya HP Belt Metabasalts: Aspects of Petrology and Geochemistry. *4th International Geology Symposium, Adana*, 95.
- Gautier, Y., 1984, Deformations et metamorphisms associes a la fermeture tethysienne en Anatolie (region de Sivrihisar, Turquie) PhD thesis. *University Paris-Sud, Orsay, Paris*, 236.
- Göncüoğlu, M. C., Özgül, L and Yalınız, M. K., 2007, Geochemical and metamorphic properties of the HP/LT metabasic blocks within the Koçyaka Ophiolitic Olistostome, Konya, Central Anatolia. *Geoitalia 2007*, 1, 136.
- Kaaden, G.V.D., 1966, The significance and distribution of glaucophane rocks in Turkey. *Bulletin of the Mineral Research and Exploration*, 67, 37–67.
- Kaya, O., 1972, Tavşanlı yöresi ofiolit sorununun ana çizgileri. *Türkiye Jeoloji Bülteni*, 14, 26-108.

- Kaya, O., Sadeddin, W., Altiner, D., Meric, E., Tansel, I ve Vural, A., 1995, Tavşanlı (Kütahya) güneyindeki ankimetamorfik kayaların stratigrafisi ve yapısal konumu: İzmir-Ankara Zonu ile bağlantısı. *Maden Tetkik ve Arama Dergisi*, 117, 5–16.
- Ketin, İ., 1966a, Anadolu'nun tektonik birlikleri. *Maden Tetkik ve Arama Enstitüsü Dergisi*, 66, 20–34.
- Ketin, I., 1966b, Tectonic units of Anatolia (Asia Minor). *Bulletin of the Mineral Research and Exploration*, 66, 23-34.
- Kulaksız, S., 1978, Sivrihisar kuzeybatı yöresi eklojitleri. *Yerbilimleri*, 4, 89–94.
- Kulaksız, S., 1981, Sivrihisar kuzey-batı yöresinin jeolojisi. *Yerbilimleri*, 8, 103-124.
- Kulaksız, S., Phillips ve Wm.R., 1983, Eski bir yitme zonunun mineralojisi (Sivrihisar Balçıkhisar). *Yerbilimleri*, 10, 95-104.
- Lisenbee, A., 1971, The Orhaneli ultramafic-gabbro thrust sheet and its surroundings. In: A.S. Campbell (Editor), Geology and History of Turkey. *Petroleum Exploration Society of Libya, Tripoli*, 349-360.
- Okay, A.I., 1978, Sodic pyroxenes from metabasites in the eastern Mediterranean. *Contributions to Mineralogy and Petrology*, 68, 7-11.
- Okay, A.I., 1980a, Mineralogy, petrology and phase relations of glaucophane-lawsonite zone blueschists from the Tavşanlı region, northwest Turkey. *Contributions to Mineralogy and Petrology*, 72, 243-255.
- Okay, A.I., 1980b, Lawsonite zone blueschists and a sodic amphibole producing reaction in the Tavşanlı region, northwest Turkey. *Contributions to Mineralogy and Petrology*, 75, 179-186.
- Okay, A.I., 1980c, Sodic amphiboles as oxygen fugacity indicators in metamorphism. *Journal of Geology*, 88, 225-232.
- Okay, A.I., 1981, Geology and blueschist metamorphism of ophiolites in northwest Anatolia (Tavşanlı-Kütahya). *Türkiye Jeoloji Bülteni*, 24, 85-95.

- Okay, A.I., 1982a, Incipient blueschist metamorphism and metasomatism in the Tavşanlı region, northwest Turkey. *Contributions to Mineralogy and Petrology*, 79, 361-367.
- Okay, A.I., 1982b, The distribution and characteristics of blueschists in Turkey. *The Geological Evolution of the Eastern Mediterranean Meeting, Edinburgh, England*, 81.
- Okay, A.I., 1984, Distribution and characteristics of the northwest Turkish blueschists. In: *The Geological Evolution of the Eastern Mediterranean* (ed. J.E. Dixon & A.H.F. Robertson). *Geological Society, London, Special Publication*, 17, 455-466.
- Okay, A.I., 1985, Kuzeybatı Anadolu'da yer alan metamorfik kuşaklar. *Ketin Sempozyumu, Türkiye Jeoloji Kurumu, Ankara*, 83-92.
- Okay, A.I., 1986, High pressure/low temperature metamorphic rocks of Turkey. In: *Blueschists and Eclogites* (ed. B.W. Evans and E.H. Brown). *Geological Society of America Memoir*, 164, 333-348.
- Okay, A.I., 1987, Notes on the geology of northwest Turkey. *Guide book on the geology of the western Anatolia for the IGCP project number five, Maden Tetkik ve Arama Enstitüsü*, 1-11.
- Okay, A.I., 1989, Alpine-Himalayan blueschists. *Annual Reviews of the Earth and Planetary Sciences*, 17, 55-87.
- Okay, A.I., 1991, Regional jadeite-bearing schists in northwest Turkey. Sixth meeting of the European Union of Geosciences, Strasbourg. *Terra abstracts*, 3, 87.
- Okay, A.I., 1997, Blueschists of northwest Turkey: Metamorphic constraints on the subduction and exhumation of a Tethyan passive margin. *Metamorphic Studies Group, Keynote address to the annual meeting, 5.3.1997, Manchester; England*, 15-16.
- Okay, A.I., 1997, Jadeite-K-feldspar rocks and jadeitites from northwest Turkey. *Mineralogical Magazine*, 61, 835-843.
- Okay, A.I., 1998, Tectonics and metamorphism in northwest Turkey. *Guidebook for the Metamorphic Studies Group field trip to northwest Turkey*, 78.

- Okay, A.I., 2002, Mode of exhumation of blueschists in the western Tavşanlı Zone, Turkey. *1st International Symposium of Istanbul Technical University the Faculty of Mines on Earth Sciences and Engineering*, 103.
- Okay, A.I., 2002, Jadeite-chloritoid-glaucophane-lawsonite schists from northwest Turkey: unusually high P/T ratios in continental crust. *Journal of Metamorphic Geology*, 20, 757-768.
- Okay, A.I., 2003, Violet jade from northwest Turkey: its mineralogy, origin. *International Symposium on Industrial Minerals and Building Stones, İstanbul, Turkey, Abstract Book*.
- Okay, A.I., 2004, Tectonics and High Pressure Metamorphism in northwest Turkey. *Field trip guide book - P01, 32nd International Geological Congress, APAT, Italy*, 56.
- Okay, A.I., 2011, Tavşanlı Zone: The northern subducted margin of the Anatolide-Tauride Block. *Bulletin of the Mineral Research and Exploration*, 142, 191-221.
- Okay, A.I., 2011, Tavşanlı Zonu: Anatolid-Torid Bloku'nun dalma-batmaya uğramış kuzey ucu. *Maden Tetkik ve Arama Dergisi*, 142, 195-226.
- Okay A.I. and Kelley, S.P, 1994, Tectonic setting, petrology and geochronology of jadeite + glaucophane and chloritoid + glaucophane schists from northwest Turkey. *Journal of Metamorphic Geology*, 12, 455-466.
- Okay, A.I and Whitney, D.L., 2010, Blueschists, ophiolites and suture zones in northwest Turkey. *Field trip guide book. Pre-Congress Excursion 1-3.10.2010, Geological Society of America, Tectonic Crossroads: Evolving Orogens of Eurasia-Africa-Arabia, Ankara, 4-8 October 2010*.
- Okay, A.I and Whitney, D.L., 2011, Blueschists, eclogites, ophiolites and suture zones in northwest turkey: a review and a field excursion guide. *Ofioliti*, 35, 131-172.
- Okay, A.I., Bozkurt, E., Satır, M., Yiğitbaş, E., Crowley, Q.G and Shang, C.K., 2008, Defining the southern margin of Avalonia in the Pontides: geochronological data from the Late Proterozoic and Ordovician granitoids from NW Turkey. *Tectonophysics*, 461, 252-264.

- Okay, A.I., Harris, N.B.W and Kelley, S.P., 1995, Geological constraints on the exhumation of regional blueschists in NW-Turkey. Eight meeting of the European Union of Geosciences (EUG 8), 9-13.4.1995, Strasbourg. *Terra Abstracts*, 7, 117.
- Okay, A.I., Harris, N.B.W and Kelley, S.P., 1998, Exhumation of blueschists in northwestern Turkey. *Third International Turkish Geology Symposium, Ankara*, 273.
- Okay, A.I., Harris, N.B.W and Kelley, S.P., 1998, Exhumation of blueschists along a Tethyan suture in northwest Turkey. *Tectonophysics*, 285, 275-299.
- Okay A.I., Tansel, İ and Tüysüz, O., 2001, Obduction, subduction and collision as reflected in the Upper Cretaceous-Lower Eocene sedimentary record of western Turkey. *Geological Magazine*, 138, 117-142.
- Okay A.I., Tansel, İ and Tüysüz, O., 2002, Timing of obduction, subduction and collision from stratigraphic record in western Anatolia. *1st International Symposium of Istanbul Technical University the Faculty of Mines on Earth Sciences and Engineering, 16-18th May 2002, İstanbul*, 79.
- Okay, A.I., Tüysüz, O., Satır, M., Özkan-Altınır, S., Altınır, D., Sherlock, S and Eren, R.H., 2006, Cretaceous and Triassic subduction-accretion, HP/LT metamorphism and continental growth in the Central Pontides, Turkey. *Geological Society of America Bulletin*, 118, 1247-1269.
- Okay, A.I., Satır, M and Shang, C.K., 2008, Ordovician metagranitoid from the Anatolide-Tauride Block, northwest Turkey -geodynamic implications. *Terra Nova*, 20, 280–288.
- Özgül, L and Göncüoğlu, M.C., 1999, Kocayaka etamorfik Kompleksinin Metamorfik Evrimi: Batı Orta Anadolu'da YB/DS Metamorfizmalı Bir Tektonik Birim. 52. *Türkiye Jeoloji Kurultayı Bildiri özleri*, 14, 279-286.
- Özbey, Z., 2010, Petrology and structural evolution of magmatic and metamorphic rocks of the Pontide-Anatolide collision zone, Dursunbey, NW Turkey. *PhD thesis, İstanbul University*.

- Özbey, Z., Ustaömer, T and Robertson, A. H., 2013, Mesozoic magmatic and sedimentary development of the Tavşanlı Zone (NW Turkey): implications for rifting, passive margin development and ocean crust emplacement. *Geological Society, London, Special Publications*, 372, 141-165.
- Özbey, Z., Ustaömer, T., Robertson, A. H and Ustaömer, P. A., 2013, Tectonic significance of Late Ordovician granitic magmatism and clastic sedimentation on the northern margin of Gondwana (Tavşanlı Zone, NW Turkey). *Journal of the Geological Society, London*, 170, 159–173.
- Özgül, L and Göncüoğlu, M.C., 1998, Geology and Petrology of HP/LT Metamorphic Rock Units in Koçyaka Metamorphic Complex, Altınekin Area, Konya: a HP/LT Neotethyan Sliver in the Northern Central Taurides. *3rd. Int.Turkish Geology Symposium*, 277.
- Özgül, L., Göncüoğlu, M.C and Yalınız, M.K., 1999, Geodynamics of the Neotethyan HP/LT Kocayaka Metamorphic Complex: A Subducted Continental Margin in Northern Central Taurides, Turkey. *European Union of Geosciences*, 10, 11, 409-410.
- Özkocak, O., 1969, Etude géologique du massif ultrabasique d’Orhaneli et de sa proche bordure (Bursa, Turquie). *PhD. Thesis, Universite de Paris*, 181 pp.
- Page, J.L., Hattori, K., de Hoog, J.C.M and Okay, A.I., 2016, Halogen (F, Cl, Br, I) behaviour in subducting slabs: A study of lawsonite blueschists in western Turkey. *Earth and Planetary Science Letters*, 442, 133–142.
- Plunder, A., Agard, P., Chopin, C and Okay, A.I., 2013, Geodynamics of the Tavşanlı zone, western Turkey: Insights into subduction/obduction processes. *Tectonophysics*, 608, 884-903.
- Plunder, A., Agard, P., Chopin, C., Pourteau, A and Okay, A.I., 2015, Accretion, underplating and exhumation along a subduction interface: From subduction initiation to continental subduction (Tavşanlı zone, W-Turkey). *Lithos*, 226, 233-254.
- Plunder, A., Agard, P., Chopin, C., Soret, M., Okay, A.I and Whitechurch, H., 2016, Metamorphic sole formation, emplacement and blueschist overprint: early obduction dynamics witnessed by Western Turkey ophiolites. *Terra Nova*, 28, 329–339.

- Seaton, N.C.A., Whitney, D.L., Teyssier, C., Toraman, E. and Heizler, M.T., 2009, Recrystallization of high-pressure marble (Sivrihisar, Turkey). *Tectonophysics*, 479, 241–253.
- Sherlock, S.C and Okay, A.I., 1999, Oscillatory zoned chrome lawsonite in the Tavşanlı Zone, northwest Turkey. *Mineralogical Magazine*, 63, 687-692.
- Sherlock, S and Kelly, S., 2002, Excess argon evolution in HP-LT rocks; a UVLAMP study of phengite and K-free minerals, NW Turkey. *Chemical Geology*, 182, 619–636.
- Sherlock, S., Kelley, S.P., Inger, S., Harris N and Okay, A.I., 1999, ^{40}Ar - ^{39}Ar and Rb-Sr geochronology of high-pressure metamorphism and exhumation history of the Tavsanli Zone, NW Turkey. *Contributions to Mineralogy and Petrology*, 137, 46-58.
- Servais, M., 1982, Collision et suture téthysienne en Anatolie Centrale, étude structurale et métamorphique (HP-BT) de la zone nord Kütahya. *Ph.D. Thesis, Universite de Paris-Sud, Centre d'Orsay*, 374.
- Tankut, A., 1980, The Orhaneli Massif, Turkey. In: A. Panayiotou (Editor), *Proceedings International Ophiolite Symposium, Cyprus 1979*, 702-713.
- Topuz, G and Okay, A.I., 2014, Prograde calcite to aragonite transformation in the Gümüşyeniköy micritic limestones (Tavşanlı, NW Turkey). *International Journal of Earth Sciences*, 103, 2271–2272.
- Topuz, G., Okay, A.I., Altherr, R., Meyer, H.P and Nasdala, L., 2006, Partial high-pressure aragonitization of micritic limestones in an accretionary complex, Tavşanlı Zone, NW Turkey. *Journal of Metamorphic Geology*, 24, 603-613.
- Whitney, D.L., 2002, Coexisting andalusite, kyanite and sillimanite: sequential formation of three polymorphs during progressive metamorphism near the Al_2O_3 triple point, Sivrihisar, Turkey. *American Mineralogist*, 84, 405–416.
- Whitney, D and Davis, P.B., 2006, Why is lawsonite eclogite so rare? Metamorphism and preservation of lawsonite eclogite, Sivrihisar, Turkey. *Geology*, 34, 473–476.

- Whitney, D.L., Teyssier, C., Toraman, E., Seaton, N.C.A and Fayon, A.K., 2011, Metamorphic and tectonic evolution of a structurally continuous blueschist to Barrovian terrane, Sivrihisar Massif, Turkey. *Journal of Metamorphic Geology*, 29, 193-212.
- Yalınız, K., Özgül, L., Göncüoğlu, M.C., Winchester, J and Floyd, P.A, 1998, Geochemical Discrimination of the HP/LT Metabasic Rocks in the Koçyaka Metamorphic Complex, Kütahya-Bolkardağ Belt, Central Anatolia. *3rd. Int.Turkish Geology Symposium*, 276.